

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/530,698	KUHBLANK, MARTIN	
	Examiner Lloyd A. Gall	Art Unit 3676	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the telephone interview of 12 April 2006.
2.  The allowed claim(s) is/are 1-4 and 7-10.
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All    b)  Some\*    c)  None    of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other See Continuation Sheet.

Continuation of Attachment(s) 9. Other: The drawings filed on 4/8/05 and 1/23/06 are approved.

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gail Silver on April 12, 2006.

The application has been amended as follows: On page 5, line 8 of the amendments to the specification filed on January 23, 2006, "beginning "The reflector 14 is electrically connected to the..." is deleted. In claim 1, line 1, "consisting of" is replaced with --comprising:--. In claim 2, line 5, --adapted to be-- is inserted after "is". In claim 3, line 2, --adapted to be-- is inserted after "is". In claim 4, line 2, "tube" is replaced with --a plurality of tubes--. In claim 4, line 3, "house" is replaced with --housing--. In claim 4, lines 3-4, "a plurality of inside diameters" is replaced with --different inside diameters or cross-sectional shapes--. In claim 4, line 4, "diameters of" is deleted. In claim 7, line 1, "6" is replaced with --1--. In claim 8, line 1, "6" is replaced with --1--. In claim 8, line 3, --is adapted to-- is inserted after "which". In claim 8, line 3, "transmits" is replaced with --transmit--. In claim 8, line 3, "the alarm" is replaced with --an alarm--. In claim 8, line 3, "the mobile" is replaced with --a mobile--. In claim 9, line 2, --adapted to be-- is inserted after "is". In claim 10, line 2, "in" is replaced with --end--.

The following is an examiner's statement of reasons for allowance: There is no suggestion in the prior art for combining the Halter (464) and Meyers et al (212) references to arrive at the claimed structure of claim 1, particularly, the bicycle lock including a housing having a centrally positioned opening to allow passage of a seat support, a rear light connected to the exterior of the housing, and an acoustic signaling device connected to a battery and the cable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lloyd A. Gall whose telephone number is 571-272-7056. The examiner can normally be reached on Monday-Friday, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on 571-272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3676

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LG LG  
April 12, 2006

  
Lloyd A. Gall  
Primary Examiner